

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	4	leela near tamma.in.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L4	3	krishna near vitaldevara.in.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L5	26385	microsoft.as.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L6	2	L5 and (version\$4 and data \$1base and union).clm.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L7	263	L5 and (version\$4 and data \$1base).clm.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L8	1	L5 and (version\$4 and data \$1base and ddl).clm.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L9	2	L5 and (ddl and dml).clm.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L10	50	("20050198630" "6970876" "20020169745" "20060259458" "20020059280" "20040225696" "5737736" "6026408" "7181456" "20040039732" "20050010896" "5495604" "5574908" "5590322" "5592668" "5729731" "6144956" "5640550" "6397219" "6466940" "6151608" "20070067120" "6112024" "20050149582" "6385604" "6901405" "20050256889" "5511186" "5740421" "5819264" "6016499" "6138112" "5317742" "5873093" "6122641" "6996589" "7167862" "20040006549" "20040015829" "20040177093" "20040181542" "20060282429" "20070016608" "20070088757" "6279006" "6581052" "6826558" "7007007" "20030191774" "20050065948").pn.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:55
L11	2359	707/203.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55

L12	5693	717/120-123,168-178.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L13	184	(L11 or L12) and (version\$4 and data\$1base and union)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L14	150	L13 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L15	1337	set adj theory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L16	671	L15 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L17	170	L16 and (union with set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L18	117	L17 and version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L19	75	L18 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L20	411	ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L21	250	L20 and data\$1base and version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55

L22	75	L21 and union	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L23	23	L11 and ddl and dml	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L24	74	L21 and install\$4	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:55
L25	2	L21 and (installation adj file)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L26	115	("4627019" "4853843" "4875159" "5043876").PN. OR ("5280612").URPN.	US-PGPUB; USPAT; USOOR	OR	ON	2009/04/10 09:56
L27	198	L21 and (union\$4 or merg\$4 or combin\$4)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L28	91	L27 and install\$5	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L29	15	(US-20030061245-\$).did. or (US-6970876-\$ or US- 5280612-\$ or US-5440730-\$ or US-5659735-\$ or US- 6226650-\$ or US-6324693-\$ or US-7028057-\$ or US- 7162689-\$ or US-6980988-\$ or US-6351753-\$ or US- 6216136-\$ or US-6081806-\$ or US-5950210-\$ or US- 5873097-\$ or US-5806075-\$ or US-5765171-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:56
L30	3	L29 and ddl and dml	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56

L31	2	"5806066".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L32	25	L11 and "installation file"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L33	6635	(L11 or L12) and ((upgrad\$4 or updat\$4) version\$4 and data\$1base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L34	31	L33 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L35	6	("5806066" "5974418" "6343287" "6363411" "6523036" "6615223").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/10 09:56
L36	175	schema adj evolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L37	132	L36 and version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L38	118	L37 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L39	4066	707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L40	10	L39 and (schema and version \$4 and ddl and dml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L41	6710	xml with version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56

L42	4899	L41 and data\$1base	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L43	21	(US-20030061245-\$ or US-20060004781-\$ or US-20040083218-\$ or US-20050071359-\$ or US-20020174142-\$).did. or (US-6970876-\$ or US-7162689-\$ or US-7028057-\$ or US-6351753-\$ or US-6324693-\$ or US-6226650-\$ or US-5873097-\$ or US-5440730-\$ or US-5280612-\$ or US-5659735-\$ or US-6980988-\$ or US-6216137-\$ or US-6216136-\$ or US-6081806-\$ or US-6119130-\$ or US-5950210-\$ or US-5806075-\$ or US-5765171-\$ or US-5806066-\$ or US-7031974-\$ or US-4912637-\$ or US-6970844-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:56
L44	98	xml with version\$4 with script	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L45	2359	707/203.ccls.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L46	85	L45 and (xml with version\$4)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L47	2	"20030028511".pn.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L48	85620	"707".clas.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L49	241	L48 and (set adj theory)	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56

L50	285	(data adj definition adj language) and (data adj manipulation adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L51	76	L50 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L52	126	L45 and (xml same version \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L53	3	ddl and dml and ((version\$4 near3 data\$1base) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L54	23	ddl and dml and (version\$4 with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L55	4519	717/168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L56	1815	L55 and (merg\$4 or combin \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L57	89	L52 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L58	9	drop adj script	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L59	24	ddl and dml and ((version\$4 near3 data\$1base) and xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56

L60	137	L49 and version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L61	2231	(xml adj schema adj definition) or xsd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L62	9	L61 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L63	6	("5806066" "5974418" "6343287" "6363411" "6523036" "6615223").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/10 09:56
L64	99	schema same version\$4 same script	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L65	89	L64 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L66	2	(ddl adj script) and (dml adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L67	23	(merg\$4 or combin\$4 or union \$4 or contain\$4) same ((data adj definition adj language) same (data adj manipulation) adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L68	15	(pre\$1pend or add) near3 (create adj (command or statement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L69	0	pre\$1pend near3 (create adj (command or statement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L70	2059	create adj command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56

L71	1564	("xml schema definition" or xsd) with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L72	1115	L71 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L73	498	L72 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L74	967	L70 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L75	30	L74 and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L76	945	drop adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L77	5980	(pre\$1pend or add) near3 create	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L78	3083	L77 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L79	178	L76 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L80	114	L79 and version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56

L81	2091	("xml schema definition" or xsd) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L82	352	L73 and version\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L83	16	("6415299" "6460052" "5467471" "6119130" "6216136" "4912637" "6970844" "7043487").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L84	10	(merg\$4 or combin\$4 or union \$4 or contain\$4) with ((data adj definition adj language) with (data adj manipulation) adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L85	10	L84 and ddl and dml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L86	2	"20040148567".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L87	14	("20020152244" "20040015369" "5499365" "6675353" "6904454" "6912529").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L88	60	L46 and (@pd<"20040308" or @ad<"20040308" or @prad<"20040308" or @rlad<"20040308")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L89	0	L43 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L90	2	"6947945".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56

L91	207	(set adj theory) same (merg \$4 or combin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L92	139	L91 and data\$1base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L93	2346	(L11 or L12) and @pd> = "20070419"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L94	319	L93 and (data\$1base near3 (upgrad\$4 or updat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L95	62	L94 and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L96	1	"6912711".pn.	US-PGPUB; USPAT	OR	ON	2009/04/10 09:56
L97	5693	717/120-123,168-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L98	6091	707/200,203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L99	2467	(L97 or L98) and @pd> = "20071113"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L100	84	L99 and (data\$1base near schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:56
L101	1366	(L97 or L98) and @pd> = "20080723"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:59

L102	52	L101 and (data\$1base near schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/10 09:59
------	----	------------------------------------	--	----	----	---------------------

4/ 10/ 2009 10:03:31 AM**C:\Documents and Settings\qchen\My Documents\EAST\Workspaces\doctet\10796613.wsp**